



CHÊNE


OAK BOIS DE POUTRES

BEAM WOOD

OAK



LEEUVENBURGH
FINEER BV



BEAM WOOD

veneer sliced from weathered oak beams
placage découpé à partir de poutres en chêne altérées



Weathered beams are sliced into veneer sheets.
Découpage de placage à partir de poutres altérées.



Manual selection and application of slices for bonding.
Assemblage à la main de bandes pour le collage.

Oak wood in its purest form

Pure wood, including cracks, knots and natural colour variations. Rough slices of beams bonded to a black surface. Real wood from beams.

Le bois de chêne sous sa forme la plus pure

Chêne véritable avec fissures, nœuds et ses décolorations naturelles.
Bandes brutes de poutres, collées sur un fond noir. Authentique bois de poutres.

Real, pure BEAM WOOD



BEAM WOOD, OAK - NATURAL

169.0,9.BV

BEAM WOOD, OAK - GREYED

161.0,9.BV

BEAM WOOD, OAK - SMOKED

171.0,9.BV

BEAM WOOD, OAK - COPPER

160.0,9.BV

Veneered board with beam joint

Panneau de placage avec
joint de poutres

169.0,9.BV BOIS DE POUTRES
CHENE NATUREL

161.0,9.BV BOIS DE POUTRES
CHENE GRISE

171.0,9.BV BOIS DE POUTRES
CHENE FUME

160.0,9.BV BOIS DE POUTRES
CHENE CUIVRE

BEAM WOOD, OAK - NATURAL
> **ENLARGEMENT**



169.0,9.BV

BEAM WOOD, OAK - GREYED
> **ENLARGEMENT**



161.0,9.BV

BEAM WOOD, OAK - SMOKED
> **ENLARGEMENT**



171.0,9.BV

BEAM WOOD, OAK - COPPER
> **ENLARGEMENT**



160.0,9.BV



Beam wood for manual veneering

Beam wood is also available as Lignapal, which features the same black beam joints and cracks. Lignapal is 1.2 mm thick and can be processed as a traditional HPL.

Bois de poutres pour réaliser soi-même un placage

Le bois de poutres est aussi disponible en Lignapal avec les mêmes joints de poutres et fentes noirs. Le Lignapal a une épaisseur de 1,2 mm et peut être utilisé comme un HPL classique.






Curved surfaces are easy to veneer using Lignapal.

Solid beam wood, 2.5 mm

- extra thick veneer for accurate mitre joints
- extra deep cracks
- extra deep joints
- extra robust

Bois de poutres massif 2,5 mm

- placage super épais pour faciliter le pliage
- fissures super profondes
- joints super profonds
- super résistant



Option:
rough sawn veneer

En option :
Effet bruts de sciage



NEW | NOUVEAU

New Beamwood 3D HEWN OAK and WAGON PLANKS
Nouveau Bois de Poutres 3D HEWN OAK et PLANCHES DE WAGON



SPECIFICATIONS

Product:	Leeuwenburgh Beam Wood, Oak, Natural	169.0,9.BV
Core board:	MDF stained black on 2 faces	
A-face:	0.9mm thick brushed Beam Wood Veneer, jointed as stacked beams	
B-face:	0.9mm thick pre-sanded Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	18mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Greyed	161.0,9.BV
Core board:	MDF stained black on 2 faces	
A-face:	0.9mm thick brushed and greyed Beam Wood Veneer, jointed as stacked beams	
B-face:	0.9mm thick pre-sanded and greyed Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	18mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Smoked	171.0,9.BV
Core board:	MDF stained black on 2 faces	
A-face:	0.9mm thick brushed and smoked Beam Wood Veneer, jointed as stacked beams	
B-face:	0.9mm thick pre-sanded and smoked Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	18mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Copper	160.0,9.BV
Core board:	MDF stained black on 2 faces	
A-face:	0.9mm thick brushed and copper Beam Wood Veneer, jointed as stacked beams	
B-face:	0.9mm thick pre-sanded and copper Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	18mm MDF core 304 x 121 cm	

MANUAL VENEERING

Product:	Lignapal Brut	
Description:	Beam wood oak veneer, featuring black beam joints, with laminate backing	
Finish:	brushed	
Dimensions:	1.2 x 3,050 x 1,220 cm	91.169.12
Product:	Lignapal Brut – natural	91.161.12
Product:	Lignapal Brut – Oak, greyed	91.171.12
Product:	Lignapal Brut – Oak, smoked	91.160.12
Product:	Lignapal Brut – Oak, copper	



LACQUER FINISHES AND COLOURS
Leeuwenburgh Fineer can apply many different finishes to sheets and Lignapal. Sheets can be colour stained or washed and, next, be given various lacquer or oil finishes – from very natural matt to super high-gloss finishes.

THICK VENEER

Product:	Leeuwenburgh Beam Wood, Oak, Natural, solid	169.2,4.BV
Core board:	MDF stained black on 2 faces	
A-face:	2.5mm thick brushed Beam Wood Veneer, jointed as stacked beams	
B-face:	2.5mm thick pre-sanded Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	16mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Greyed, solid	161.2,4.BV
Core board:	MDF stained black on 2 faces	
A-face:	2.5mm thick brushed and greyed Beam Wood Veneer, jointed as stacked beams	
B-face:	2.5mm thick pre-sanded and greyed Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	16mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Smoked, solid	171.2,4.BV
Core board:	MDF stained black on 2 faces	
A-face:	2.5mm thick brushed and smoked Beam Wood Veneer, jointed as stacked beams	
B-face:	2.5mm thick pre-sanded and smoked Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	16mm MDF core 304 x 121 cm	

Product:	Leeuwenburgh Beam Wood, Oak, Copper, solid	160.2,4.BV
Core board:	MDF stained black on 2 faces	
A-face:	2.5mm thick brushed and copper Beam Wood Veneer, jointed as stacked beams	
B-face:	2.5mm thick pre-sanded and copper Beam Wood Veneer, jointed traditionally	
Dimensions:	304 x 121 cm or 243 x 121 cm	
In stock:	16mm MDF core 304 x 121 cm	

SPÉCIFICATIONS



FINITIONS VERNIS ET COULEURS
Leeuwenburgh Fineer est en mesure de fournir les panneaux et le Lignapal avec diverses finitions. Les panneaux peuvent être teintés de la couleur souhaitée ou cernés et ensuite dotés de diverses finitions à base de vernis ou d'huile. Des finitions mates très naturelles jusqu'à super haute brillance.

PLACAGE ÉPAIS

Produit:	Bois de poutres Chêne Naturel massif Leeuwenburgh	169.2,4.BV
Support:	MDF teinté noir double face	
Face A:	Placage de bois de poutres brossé de 2,5 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage de bois de poutres poncé de 2,5 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 16 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Grisé massif Leeuwenburgh	161.2,4.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres grisé et brossé de 2,5 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres grisé et poncé de 2,5 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 16 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Fumé massif Leeuwenburgh	171.2,4.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres fumé et brossé de 2,5 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres fumé et poncé de 2,5 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 16 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Cuivre massif Leeuwenburgh	160.2,4.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres cuivre et brossé de 2,5 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres cuivre et poncé de 2,5 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 18 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Naturel Leeuwenburgh	169.0,9.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres brossé de 0,9 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres poncé de 0,9 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 18 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Grisé Leeuwenburgh	161.0,9.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres grisé et brossé de 0,9 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres grisé et poncé de 0,9 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 18 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Fumé Leeuwenburgh	171.0,9.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres fumé et brossé de 0,9 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres fumé et poncé de 0,9 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 18 mm, 304 x 121 cm	

Produit:	Bois de poutres Chêne Cuivre Leeuwenburgh	160.0,9.BV
Support:	MDF teinté noir double face	
Face A:	Placage en bois de poutres cuivre et brossé de 0,9 mm d'épaisseur à joints de type poutres superposées	
Face B:	Placage en bois de poutres cuivre et poncé de 0,9 mm d'épaisseur à joints classiques	
Dimensions:	304 x 122 cm ou 243 x 121 cm	
Stock	Noyau en MDF de 18 mm, 304 x 121 cm	

PLACAGE À FAIRE SOI-MÊME

Produit:	Lignapal brut	
Beschreibung:	Placage en bois de poutres chêne avec joints de poutres noirs sur un support en matière synthétique	
Finition :	Brossé	
Dimension :	1,2 x 3050 x 1220 cm	
Produit:	Lignapal brut naturel	91.169.12
Produit:	Lignapal brut Chêne grisé	91.161.12
Produit:	Lignapal brut Chêne fumé	91.171.12
Produit:	Lignapal brut Chêne Cuivre	91.160.12



LEEUVENBURGH
FINEER BV

Leeuwenburgh Fineer BV
Blik 9-13
NL-4941 SG Raamsdonksveer
The Netherlands
Tel: +31 (0)162-514918
Fax: +31 (0)162-513933
Company No. : 18126508
info@leeuwenburgh.com
www.leeuwenburgh.com



LEEUVENBURGH
VENEERS (UK) Ltd.

Leeuwenburgh Veneers (UK) Ltd.
1 Queen Square
Bath BA1 2HA
United Kingdom
Phone: +44 (0) 1225-904950
info@leeuwenburgh.co.uk

Your dealer: