

timberworld.co.uk

2021 GARDEN & LANDSCAPING EDITION

Decking

Fencing

Sleepers

Cladding



02 | Composite Decking

HD Deck[®] 150 HD Deck[®] 150 Fire HD Deck[®] Dual HD Deck[®] Pro HD Deck[®] Accessories

11 | The Sleeper Range

Brushwood Sleepers Oak Sleepers Sawn Sleepers Smooth Sleepers UC4 Sleepers UC4 Posts

18 | External Cladding

Timber Cladding Range Timber Profiling & Treatment Composite Cladding Systems

Contents Page

06 | Timber Decking

Redwood Deck Boards Anti-Slip Deck Boards Coloured Timber Decking Spindles & Handrails Posts & Joists

14 | Fencing Systems

Trade Lap Fence Panels Feather Edge Boards Acoustic Fencing System Posts & Rails

From the **Ground Up**

If you are planning on creating an impressive garden for your home, then we're sure you'll find what you're looking for in our diverse range of products, decking solutions, superior selection of garden accessories and top-quality garden timber.



HD Deck[®] 150 **Composite Decking**

Size: 25 x 150 x 3600mm

Transform your garden with HD Deck® 150, a contemporary grooved composite decking system available in walnut, lava and silver.

Made from 100% certified hardwood flour and recycled plastic, UV light absorbers and anti-oxidants, to produce a high quality composite decking product, which outperforms traditional treated timber.

Features & Benefits

- Low maintenance Barefoot safe
- Slip resistant
- Attractive
- Durable • Sustainable
- Will not rot or decay • 10-year warranty


HD Deck[®] 150 Fire **Composite Decking**

Size: 25 x 150 x 3600mm

HD Deck[®] 150 Fire is a contemporary 150 but is class B fire rated.

Perfect for:

- Roof terraces



HD Deck[®] Dual Composite Decking

Size: 23 x 143 x 3600mm

HD Deck[®] Dual is a woodgrain composite decking system with a reversible two-colour option, providing the opportunity to lay a deck with contrasting colours to create a bespoke finish.

With an unrivalled likeness to timber, the natural wood grain not only looks and feels great, it also offers maximum performance against stains.

Features & Benefits


- Low maintenance Slip resistant
- Durable • Sustainable
- Barefoot safe • Reversible

Composite Decking

Colour Options

- Oak & Walnut
- Carbon & Antique

Sustainable, **Ethical, Responsible**



HD Deck[®] Pro **Premium Extra-Wide Composite Decking**

Size: 22.5 x 200 x 3600mm

HD Deck[®] Pro is a premium extra-wide composite decking board, any outdoor living space.

extra long life.

The deck board offers the same features and benefits as the other





*Available in Antique, Carbon, Oak & Walnut to match our HD Deck Dual decking



*Available in Silver, Lava & Walnut to match our HD Deck 150 decking



*Available in Oyster and Champagne to match our HD Deck[®] Pro decking

Abzorbit™



Abzorbit[™] is a revolutionary new aerosol spray that treats and removes grease and oil stains, with a simple spray on and brush off process. Abzorbit[™] can be used to treat stains on any timber or uncapped composite decking product. Ideal for use on HD Deck® 150 and HD Deck[®] 150 Fire.

SPRAY ON · BRUSH OFF · STAIN GONE







HD Deck[®] End Caps

HD Deck[®] Dual & Pro Bullnose




*Available in 5 colours to match HD Deck® Dual and HD Deck[®] Pro decking



Traditional Landscapes

A staple in most landscape gardens, make full use of your outdoor space with timber decking, an extremely versatile option for your next project. For that natural look and feel, our range of softwood decking works alongside any landscape.





32 x 125mm **Treated Deck Boards**



Dual Pattern Redwood Decking Tanalith E Treated Finished Size 28 x 120mm

38 x 150mm **Treated Deck Boards**



Dual Pattern Redwood Decking Tanalith E Treated Finished Size 33 x 142mm




06

Timber Deck Boards

GRIPSURE

Anti-Slip Timber Deck Boards

 Dual Pattern Redwood Decking with 2 x Gripsure Anti-Slip resin Inserts • 1 Face Tanalith E Treated Finished Size 33 x 142mm



Heat Enhanced Decking


IRO architectural decking is a low maintenance and long-lasting alternative to traditional decking, created by combining the ancient Japanese process of Yakisugi with the latest timber technology.


The result is a beautiful and uniquely coloured decking timber that will add charm and character to a range of outdoor spaces.

- UV Stable
- 100% HVOC-Free



Child & Pet Friendly









 Resilient to rot and insect attack • Water-Repellent Surface

Complete Your Deck

Deck Spindles 41 x 41 x 900mm

- Tanalith E Treated
- Stop Chamfered, Square or Edwardian Style

Deck Handrail/Baserail 38 x 75 x 1795mm

 Tanalith E Treated Pine Turned Softwood

Deck Posts 83 x 83 x 1250mm

- Tanalith E Treated Timber Deck Posts
- Chamfered & beaded or turned deck posts

Deck Screws* 63mm (Box of 250)

*Brand and price of Deck Screws may vary between branches - please ask staff for availability

Decking Joists

Decking joists are an essential part of building any quality garden deck. Our decking joists are all made from quality timber and pressure treated.

Sawn Tanalised Timber Sizes: 47 x 100mm | 47 x 150mm **Adjustable Joist Hanger** Size: 47 x 250mm







Brushwood Sleepers

Incredibly versatile and beautifully textured, our brown-treated brushwood sleepers bring charm and structure to any space.

Our sleepers have been treated with high pressure TANALITH preservative to ensure longevity.

3	1420			64 - S S.
5	Thickness (mm)	Width (mm)	Length (m)	Ti
	125	250	2.4	
\mathbb{R}	E.C.		1 / C	100



reatment Brown

Level Up Your Garden

Sawn Sleepers

Our sawn sleepers have endless garden or leisure applications.

They can be used as boundaries, edgings and planters as well as distinctive raised beds and borders, decks, terraces and walkways.

Thickness (mm)	Width (mm)	Length (m)	Treatment
100	200	2.4	Green / Brown
125	250	2.4	Green / Brown



Smooth Sleepers

Our smooth sleepers are produced to exacting standards, adding charm to any garden.

Smooth sleepers offer an attractive planed and pressure treated solution for any landscaping project offering the opportunity to create height and depth.

nickness (mm)	Width (mm)	Length (m)	Treatment
100	200	2.4	Green

French Oak Sleepers

Fresh sawn oak 1st grade sleepers have largely clear sections with tolerance for knots and other natural defects adding to the timbers timeless beauty, a popular choice to add character and warmth to your garden.

Thickness (mm)	Width (mm)	Length (m)
100	200	2.4
120	245	2.4



Incised UC4 Posts

Incised seasoned fence posts undertake a game changing pre-impregnation process, that ensures that the treatment impregnates 6mm into the post, which delivers the stipulated BS8417 15 year service life.

Thickness (mm)	Width (mm)	Length (m)	Treatment
100	100	2.4	Green / Brown
100	100	3	Green / Brown
75	75	2.4	Green / Brown



Our UC4 timber posts are suitable for domestic, agricultural and industrial applications.

Thickness 100 100

Incised UC4 Sleepers

Our incised sleepers have uniform incisions on the face to allow the preservative to penetrate the timber better.

These products come with a 15 year service life for added peace of mind.

Thickness (mm)	Width (mm)	Length (m)	Treatment
100	200	2.4	Green / Brown
125	250	2.4	Green / Brown

The Sleeper Range



Pine UC4 Posts

To achieve a long service life we treat all posts using a high pressure process with a choice of either green or brown finish.

(mm)	Width (mm)	Length (m)	Treatment
	100	2.4	Green / Brown
	100	2.7	Green / Brown



Fencing, Posts, Rails

Trade Lap Fence Panels

Traditional, affordable overlap fence panel in golden brown, with a sturdy and robust construction made from rough sawn timber boards.

Ideal for garden boundaries.

Available Sizes: 1830mm wide 1.2m | 1.5m | 1.8m high





Standard Posts

Our fence and gate posts timbers are suitable for domestic, agricultural and industrial applications.

To achieve a long service life we treat all posts using a high pressure process with a choice of either green or brown finish.

Thickness (mm)	Width (mm)	Length (m)	Treatment
100	100	2.4	Green / Brown
100	100	3	Green / Brown
75	75	2.4	Green / Brown

Feather Edge Board in Green or Brown and various sizes.

Feather edge boards add more of a premium look and feel to fences. Available in an array of thicknesses, widths and lengths:

Available Sizes:

1800 x 125 x 22mm 1800 x 150 x 22mm





Standard Rail

The standard sawn rail is mostly used to create a continuous run of post and rail fencing, which provides a cost-effective and sturdy solution for restricting both livestock and pedestrians.

Thickness (mm)	Width (mm)	Length (m)	Treatment
38	75, 88, 100	3.0, 3.6, 4.2, 4.8	Green / Brown
47	75, 100	3.0, 3.6, 4.2, 4.8	Green / Brown

Cant Rail

			Thickness (mm)	Width (mm)	Length (m)	Treatment
			125	47	3.6	Green / Brown
			175	47	3.6	Green / Brown
run along ti	y to decorat he back of p		s, arris rails e triangular in rom the timbe			
Thiskness (mm)	\\/;dth (mana)	Longsth (m)	Treature and			
Thickness (mm)	Width (mm)	Length (m)	Treatment		1 martine and the second se	
75	75	2.4, 2.7, 3.0, 3.6	Green / Brown			

Our gravel boards blend in with timber fencing and are used to ensure the avoidance of ground contact, which often leads to rot and/or decay.

Width (mm)	Length (m)	Treatment
100, 125, 250	1.2, 1.35, 1.5, 1.65, 1.8, 3.6	Green / Brown
175	3.6, 4.8	Green / Brown
200	3.6, 4.8	Green / Brown



An ideal alternative to the arris rail, cant rails also support the structure of your fence and encourage rainwater to run off the timber.

MANUFACTURED **IN-HOUSE**

GET A FREE NO OBLIGATION QUOTE TODAY





THE NEW SOUND & NOISE-REDUCING FENCING

INDEPENDENTLY TESTED:

 (\mathbf{b})

DROWNS OUT NOISE LEVELS BY 28DB



ACTS AS A PRIVACY

& WIND BARRIER

APPLICATIONS:

- Highways & Motorways
- Commercial & Industrial
- Venues & Sports Stadiums
- Residential Properties
- Construction Sites
- Airports

*Tested for Road, Rail & wind-loading

e as standard on Class 3 | 25-Year Guarantee on Class 4 available

Fencing Systems

dB Fence is an acoustic barrier fencing system designed to drown out sound and is the perfect choice for reducing noise in a high-traffic and/or a high-noise environment, close to residential areas.

Manufactured using premium heavy-section planed timber boards, regardless of weather conditions, the interlocking 'V' tongue and groove panels remain tightly locked, eliminating sound travelling through any gaps and forcing sound waves over the top or around the fence.

Suitable for installations up to 2.5m



Top 5 Benefits of dBFence

- 1. Our dB Fence acoustic fencing drowns out noise by up to 28dB
- 2. Stylish design, visually pleasing and blends in with the rest of your garden
- 3. High privacy barrier keeps out intruders
- 4. Modular design allows quick and easy installation on-site
- 5. 10-Year Guarantee as standard on Class 3. 25-Year Guarantee on Class 4 available.

External Timber Cladding Products



A Single-Source Solution

As timber experts we are able to provide a single-source solution for all your cladding requirements.

Ranging from advice on materials and designs through to treatment and coatings, we will review your requirements, the budget and the job itself, to help deliver the right solution.

Timber Profiling

We offer a large range of standard profiles, and if you require a design that is not available from our standard profile, we can machine bespoke patterns on request.

Our Products

- Pine
- Larch
- Western Red Cedar
- Accova
- Thermowood
- Hardwood Timber

Additional Services

- Kilning
- Machining
- Fire Treatment
- Fully/Part Finished
- Priming, Staining, Coating, Lacquering

Cladding Systems



Wood Grain Composite Cladding System

Cladding Systems




HD Clad Pro[™] Composite Cladding

timber cladding that is available in a range of natural colours.

properties, garden buildings or even thinking of a new contemporary option for

NEW!




Cedar Grey Carbon





SYSTEM **COMPONENTS**

The HD Clad Pro[™] system offers a range of complementary trims to complete your cladding project.



Outside corner



Inside corner

also being environmentally friendly, made from 100% certified hardwood flour

and recycled plastic.

Size: 22.5mm x 136mm x 3600mm

AVAILABLE IN 4 SHADES

Features & Benefits



- Low maintenance & long life
- UV stable
- No treating or painting required
- Stain-resistant
- Easy to install
- Concealed fixings
- Composite trims
- Install horizontally or vertically

Applications

- Residential
- Commercial
- Industrial
- Modular buildings
- Garden buildings
- Regeneration projects
- Healthcare projects



OPEN TO THE TRADE & PUBLIC

Branch Finder

Birmingham Dudley Road, Oldbury, West Midlands B69 3DA T: 0121 552 7788

E: birmingham@laver.co.uk

Borehamwood Hertsmere Industrial Park, Chester Road, Borehamwood WD6 1WS T: 01923 336666 E: borehamwood@laver.co.uk

Bradford Canal Road, Bradford, West Yorkshire, BD2 1AR T: 01274 732861 E: bradford@laver.co.uk

Bristol Brabazon Hangar, West Bay, Filton, Bristol, BS34 7QS T: 0117 312 1160 E: bristol@laver.co.uk

Cannock Unit 29 Navigation Way Hawks Green Cannock, WS11 7XU Tel: 01543 302450

Coventry

Unit C1, Grovelands Industrial Estate, Longford, Coventry, CV7 9ND T: 02476 26 3900 E: coventry@laver.co.uk

Croydon 69 Imperial Way, Silverwing Industrial Estate, Croydon, CR0 4RR T: 0208 241 5400 E: croydon@laver.co.uk

Hull

Crowle Street, Hull, HU9 1RH T: 01482 761220 E: hull@laver.co.uk

Kidderminster Firs Trading Estate, Oldington Lane, Kidderminster DY11 7QN T: 01562 66557 E: kidderminster@laver.co.uk

Leeds Pontefract Road, Leeds, West Yorkshire LS10 1SW T: 0113 270 4086 E: leeds@laver.co.uk

Manchester Liverpool Road, Cadishead, Manchester M44 5BZ T: 0161 777 9000 E: manchester@laver.co.ul

Milton Keynes Unit 2 Roebuck Way Knowlhill Milton Keynes MK5 8HL Tel 01908 802670

Newcastle

Wagonway Road, Hebburn, Tyne & Wear, NE31 1SP T: 0191 428 6666 E: newcastle@laver.co.uk

Peterborough

Unit 12 Kingston Park, Flaxley Road, Peterborough, PE2 9FT T: 01733 742140 E: peterborough@laver.co.uk

Rainham

124 New Road, Rainham, Essex , RM13 8RS T: 01708 529500 E: london@laver.co.uk

Reading

Basingstoke Road, Reading, Berkshire RG2 0QN T: 0118 975 1100 E: reading@laver.co.uk

Sheffield Central Little London Road, Sheffield. **S8 0UH** T: 0114 255 7341 E: sheffieldcentral@laver.co.uk

Sheffield Mosborough Oxclose Park Road North. Sheffield, S20 8GN T: 0114 276 4800 E: sheffield@laver.co.uk

Newcastle upon Tyne

Manchester 💙 Sheffield Sheffield Central Mosborough Cannock Birmingham

Bradford

Thornaby

Leeds

Hull

Peterborough

Rainhan

Kidderminster

Bristol

Coventry Wilton Keynes

Reading Croydon

Borehamwood

timberworld.co.uk