

**Finsa
Tech**

Fibrapan

Hidrofugo &
Hidrofugo Plus

Moisture resistant MDF for deep machining
and optimal painted finish

finsa.com



Fibrapan Hidrofugo

Through an innovative **steam injection process**, specially selected wood fibres are bonded with moisture resistant adhesives to produce a board with a smooth, flat and consistent surface, and a dense core with a strong internal bond that allows for high standard of machining.

The density of the boards means that they require less preparation time and less paint, ultimately giving you the best, optimal finish.

Fibrapan Hidrofugo Plus

Fibrapan Hidrofugo Plus offers a board with a greater density for more demanding applications that require an easier-to-achieve perfect finish.

Benefits


25% stronger and more stable than Fibrapan Hidrofugo


Greater density

Stronger internal bond

Enhanced machinability for routing: sharper edges, finer detail

Even less paint and less sanding: save even more time






Fibrapan Hidrofugo Plus maintains the enhanced machinability that we see with Fibrapan Hidrofugo, with an even sharper edge, finer detail and a minimal need for sanding. Ideal for routing, moulding and more demanding profiles.

Along with a minimal need for sanding, Fibrapan Hidrofugo Plus has an even shorter processing time than Fibrapan Hidrofugo. This not only reduces the amount of paint needed but also ensures a superior and refined finish that saves you both time and money.

Stock Availability

Product	Size (mm)	Thickness (mm) and boards per pack							
		6	9	12	15	18	22	25	30
Fibrapan Hidrofugo	2440 x 1220	120	80	60	50	40	30	30	26
	3050 x 1220	120	80	60	50	40	30	30	-
Fibrapan Hidrofugo Plus	2440 x 1220	-	-	-	-	40	30	30	-
	3050 x 1220	-	-	-	-	40	-	-	-

Sustainability



Finsa

Get in touch:
T: 0151 651 2400 E: uk@finsa.com IG: @finsauk

finsa.com