GARDEN AND LANDSCAPING

DECKING FENCING SLEEPERS

A BAN

CLADDING

Making a garden building using timber? We can help.

VAILABLE FROM

Thornbridge

REMBRAND

TIMBER


orchar timber



rembrandtimber.co.uk | thornbridgetimber.co.uk | orchardtimberproducts.co.uk

WHATEVER YOUR PROJECT NEEDS, WE'VE GOT IT COVERED





FENCING

i in the

fencing

FENCING





6ft x 6ft (1.83m x 1.83m) Pressure Treated Superlap Fence Panel (Multipack) Green or Brown available

FEATHER-EDGE BOARDS ANGLE FILLET TREATED FENCE POSTS

T&G FENCING





Visit us for your Landscaping Products

BUILD YOUR OWN CLOSEBOARD FENCING

Our treated feather-edge boards, available in a brown or green finish, are perfect for the construction of timber fencing within your garden.

Overlap the feather-edge boards (by 25mm) and fix to our treated rails and mount onto our treated posts. Ideal for garden boundaries.

Size: 16 x 125mm Various Lengths

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

APEX SHEDS



Overlap Pressure Treated 6x4 Apex Shed - No Window







UNILOG - AVAILABLE TO ORDER





FENCING

DURAPOST STEEL FENCE POST SYSTEM



BUILT TO LAST

DuraPosts are so easy to handle, with pre-drilled holes , they can be easily installed by one person

DuraPost can be used to create:

- Closed board fencing
- Panel Fencing
- Hit & Miss Fencing
- Composite Board Panels

DuraPost supports the installation of our Composite cladding boards (as fencing panels on pg. 24-27.)

Available at selected branches.

Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

DuraPost®

DuraPost is a great alternative to a timber or concrete fence posts. Built from galvanised steel, it's lighter while offering both durability and strength.

Provides a stylish, secure and strong framework designed to work with panels and boarding. DuraPost has been durability tested to EN 1794-1-2018 with wind speeds of up to 110mph (static load tested to 625kg).



Up to 25 Year Guarantee.

Designed by industry experts and trusted by homeowners and professionals.

DuraPost is available in 4 colours.





FENCING

Acoustic Fencing - dB Fence

dB Fence is an acoustic barrier fencing system designed to drown out sound and is the perfect choice for reducing noise in a high-traffic or high-noise environment, close to residential areas

Manufactured using premium heavysection planed timber boards, regardless of weather conditions, the interlocking 'V'

tongue and groove panels remain tightlylocked, eliminating sound travelling through any gaps and forcing sound waves over the top or around the fence.


Suitable for installations up to 2.5m

FENCING

COMPLETE YOUR DECK

Deck Handrail /Baserail

Decking Screws





Dimensions: 38 x 75mm x 1.795m

Timco* Green Decking Screw 4.5x60 (Box of 200) *Brand may vary by branch.



DECK SPINDLES

Tanalith E Treated

Edwardian Style

Softwood

41 X 41 X 900MM

Stop Chamfered, Square or

DECK SPINDLES

41 X 41 X 900MM

Tanalith E Treated Pine Turned



DECK POSTS 83 X 83 X 1250MM

DECK SCREWS*

availability

63MM (BOX OF 250)

Tanalith E Treated Timber Deck Posts Chamfered & beaded or turned deck posts

*Brand and price of Deck Screws may vary between branches - please ask staff for

Sizes: 47 x 100mm | 47 x 150mm Adjustable Joist Hanger

Size: 47 x 250mm

PLUS ALL THE ACCESSORIES YOU NEED

DECK SPINDLES • DECK POSTS • DECKING IOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS









Visit us for your Landscaping Products

DECKING JOISTS

47 X 150MM Decking joists are an essential part of building any quality garden deck. Our decking joists are all made from guality timber and pressure treated.

Sawn Tanalised Timber






POSTSAVER

PRO-SLEEVE

CREOCOTE





WWK I A WARRAND STOR

One pack installs two posts (ready mixed). Weighs just 1.35kg vs 40kg concrete equivalent. Expands quickly and reaches full strength in just 90 minutes. Suitable for use with wood, vinyl, steel & composite posts.

A MARKA

20 Year Guarantee

PRO-SET

Heavy Post Hole Digger. Heavy Duty Post Rammer. Industrial Blow Torch

PRO-TOOLS

the GUARANTEE

TIO YEAR OUT THE

Ш

 \mathbf{D}

10 YEAR GUARANTEE

CLASS 3 RATED

 $\star \star \star$

33

20

osmo





ACCESSORIES

TREATED TIMBER POSTS

Our treated timber posts are suitable for domestic, agricultural and industrial applications.

To achieve a long service life we treat all posts using a high pressure process with a choice of either green or brown finish.

POSTMIX

Don't forget to pick up the essentials with ready-to-use PostMix, made from a blend of selected sand, cement and additives formulated for fixing wooden, concrete and metal posts. 20KG.



TOOLS

We supply all the necessary tools and equipment for you to complete your job with all the top brands and highest quality equipment at affordable prices.



FIXINGS

All the necessary fixings for sleeper, decking and cladding you could need to finish your clients job.







GRIPSURE DECKING

38 X 150MM ANTI SLIP TIMBER DECK BOARDS

Dual Pattern Redwood Decking with 2 x Gripsure Anti-Slip resin Inserts


- 1 Face
- Tanalith E Treated
- Finished Size 32 x 142mm

GRIPSURE





HARDWOOD DECKING - VARIOUS SPECIES AVAILABLE - MACHINED TO ORDER





32 X 125MM TREATED DECK BOARDS

PLUS ALL THE ACCESSORIES YOU NEED



.

DECK SPINDLES • DECK POSTS • DECKING JOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS

Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

DECKING

Our Redwood Decking is Slow Grown, Imported, high quality Pine

38 X 150MM TREATED DECK BOARDS





REDUX DECKING

Redux

The result of many years of research and development to create a deck board that truly replicates natural timber, Redux™ has been cast from aged American Red Oak timbers and is hand finished in five naturally aesthetic colourways.

Redux[™] is produced using over 50 metres of unique woodgrain which provides an ultra realistic timber appearance, this results in over 20 Redux[™] board variations.

AND THE OWNER OF

Cuxury solid board Composite Decking with an ultra-realistic woodgrain.

11

HARDWOOD DECKING - VARIOUS SPECIES AVAILABLE - MACHINED TO ORDER





IRO DECKING

ACCESSORIES Decking Screws. Good/Better = TIMCO PZ2 tubs and C2 strong-fix. Best = SPAX

L. S.L.

Best = SPAX **Tapes** - HD joist tape; Walther strong tapes - Deck, Deck Tape Pro, PosT **HD Fixings Decking Spindles Newel Posts** Standard-Colonial, Patrice, Chamfered. Option - Oak Hand/Base Rails

TREATMENTS Osmo Decking Oil • Anti-slip Decking Oil • Composite Cleaner • Decking Cleaner • End Grain Sealing Wax



CHARCOAL IRO DECKING



0



HARDWOOD DECKING

MADE TO ORDER

HARDWOOD DECKING ANY HARDWOOD MACHINED TO ORDER INTO DECKING.

.

-

INCLUDING: ACCOYA EUROPEAN OAK IROKO SAPELE

HARDWOOD DECKING - VARIOUS SPECIES AVAILABLE - MACHINED TO ORDER

Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

IPE DECKING





HD DECK® 150 COMPOSITE DECKING *Deck Board Size: 25 x 150 x 3600mm*

Transform your garden with HD Deck 150, a contemporary grooved composite decking system available in walnut, lava and silver.

Made from 100% certified hardwood flour and recycled plastic, UV light absorbers and anti-oxidants, to produce a high quality composite decking product, which out performs traditional timber.





Visit us for your Landscaping Products

HARDWOOD DECKING - VARIOUS SPECIES AVAILABLE - MACHINED TO ORDER

10 YEARS



FEATURES:

- Low maintenance
- Slip resistant
- Durable
- Sustainable
- Barefoot safe
- Attractive
- Will not rot or decay
- 10-year warranty



HD DECK[®] PRO PREMIUM EXTRA-WIDE COMPOSITE DECKING

Size: 22.5 x 200 x 3600mm

HD Deck[®] Pro is a premium extra-wide composite decking board, featuring a traditional wood grain that will add quality and style to any outdoor living space.

With its 'capped' design, creating a protective layer that offers maximum protection against stains and the elements for an extra long life.

The deck board offers the same features and benefits as the other HD Deck ranges, but is dual sided, with two designer colours to choose from: oyster and champagne.

HD DECK[®] DUAL COMPOSITE DECKING


Deck Board Size: 22.5 x 143 x 3600mm

HD Deck Dual is a wood-grain composite decking system with a reversible two-colour option, providing the opportunity to lay a deck with contrasting colours to create a bespoke finish.


With an unrivalled likeness to timber, the natural wood grain not only looks and feels great, it also offers maximum performance against stains.

IN 6 COLOURS: State • Oak • Walnut • Carbon • Antique





HD DECK[®] ACCESSORIES



ABZORBIT[™] - SPRAY ON • BRUSH OFF • STAIN GONE Abzorbit[™] is a revolutionary new aeroso spray that treats and removes grease and oil stains, with a simple spray on an brush off process. Abzorbit[™] can be use to treat stains on any timber or uncapped



composite decking product. Ideal for use on HD Deck 150 and HD Deck® 150 Fire.

Visit us for your Landscaping Products

DECKING

OP START & FIXING CLIPS

D CAPS

DUAL & PRO BULLNOSE







PREMIUM JOIST & FLASHING TAPE 63MM X 20M

HD Protect™ is a self-adhesive tape

designed to protect the top of timber from

noisture that can lead to rot and loosening of

crews. Applications: Joists, beams, rims, cut

ends and posts

Specifications:

- 6 x rolls per box 48 x boxes per pallet
- Average deck uses 6 roll



SAWN SLEEPERS

Our sawn sleepers have endless garden or leisure applications.

They can be used as boundaries, edgings and planters as well as distinctive raised beds and borders, decks, terraces and walkways.





BRUSHWOOD **SLEEPERS**

IRO SLEEPERS





SLEEPER ACCESSORIES

CARPENTERS MATE FLAT HEAD OR HEX HEAD FIXINGS UP TO 250MM. MUCH FASTER FIXING THAN BOLTS TO SAVE YOU TIME.

Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK



INCISED SLEEPERS





Mini Sleepers also avai (100x200x1200mm)



James Jones

CHOOSE THE BEST OUTLAST THE REST



JJ DECK JOIST

James Jones & Sons incised Deck Joists are treated to Use Class 4 as recommended by the Timber Decking and Cladding Association and come with a 15 year warranty.

Width/Depth	Lengths
47 x 100mm (44 x 97)	3.6m, 4.8m
47 x 150mm (44 × 145)	3.6m, 4.8m



Incised Fence Posts

ALC: NO	The following core range of Incised fence posts is available either green or brown pressure treated.				
	WIDTH/DEPTH	LENGTHS			
	75mm x 75mm	1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m			
100	75mm x 100mm	2.4m			
all	100mm x 100mm	1.8m, 2.1m, 2.4m, 2.7m, 3.0m			

r specifications are available on rec The James Jones Incised product range complements our extensive hoice of quality fencing products available.

Rails, Slats, Ranch & Gravel Boards, Featheredge Boards

The entire James Jones fencing range is available either green or browr ressure treated



Visit us for your Landscaping Products

- James Jones range of posts and sleepers gives added confidence to your fencing and landscaping project.
- Our posts are treated to Use Class 4 as recommended for ground contact applications.
- Our posts are incised prior to preservative treatment, which means we add small, uniform incisions into the post. This allows the treatment to penetrate the post and protect it against rot, making it suitable for ground contact. If the posts are not incised they will not last as long, which is why all James Jones fence posts are incised as standard.
- This allows James Jones & Sons to offer a 15 year warranty against rot and insect attack.*

For full details, see terms and

	22
	20

29	(Other specifications are available of request.)
	· · · · · · · · · · · · · · · · · · ·
T	a so a sold was a prover a sold the
22	and the second sec
	a provide the state which when the test
100	School and the second second second
	The deal the stand of the stand of the
	a deal of the second of the
23	and the second of the second o
	The state of the second st
	and the printer of the second

Incised Sleepers

WIDTH/DEPTH

100mm x 200mm

25mm x 250mm

Cut & Treat

ncised landscaping sleepers are available to order in the follow sections

1.2m, 2.4m, 3.0m

LENGTHS

2.4m


Livery time pressure preservative
treated timber is cut or notched
during installation, the exposed
surfaces must be further protected
with an appropriate brush-on end
grain preservative to maintain the
integrity of the performance and
the conditions of the warranty.







EVERYTHING YOU NEED TO MAKE BESPOKE GARDEN STRUCTURES - JUST ASK



PLYWOOD SOFTWOOD HARDWOOD



LOOKING TO REFRESH THE LOOK OF YOUR CUSTOMERS GARDEN BUILDINGS OR BUILDING THEM A GARDEN OFFICE?

The external cladding finish your client chooses will have a big impact on the appearance and durability of their garden building.

OUR PRODUCTS

- Floor Joists
- Flooring
- PSE

TONGUE & GROOVE BOARDS

A simple solid solution.

Section sizes: 47x150 & 47x200mm | Treated timber Robust material - can be installed horizontally & vertically Interlocking T&G profile provides quick and easy construction. Suitable for use with concrete H-posts. Ideal for: Dividing Walls | Fencing | Planters & Raised Beds | Garden Structures & Buildings

Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

OAK STRUCTURE COMPONENTS

FRESH SAWN OAK 200X200, 150X150, 100X150, 75X150

FRESH SAWN OAK

CladdingPlywoodOSB

Sheet Materials


STARLEY

- Tools &• Accessories
- Treatments



HARDIE® PLANK **FIBRE CEMENT CLADDING**

Textures





Colours	■ Hardie Plank ● Ha	rdie VL Plank	
Arctic White	Sail Cloth	Light Mist 🔳 🗣	Grey Slate 🔳
Anthracite Grey 🔳 🖲	Midnight Black 🔳 🖲	Cobble Stone	Woodland Cream
Soft Green 🔳	Pearl Grey	Monterey Taupe	Khaki Brown 🔳 🖲
Heathered Moss	Mountain Sage 🔳	Boothbay Blue	Evening Blue
Traditional Red	Chestnut Brown 🔳	Timber Bark	Rich Espresso

Iron Grey 🔳

HD CLAD PRO™ **COMPOSITE CLADDING**

Size: 22.5mm x 136mm x 3600mm



HD Clad Pro[™] provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours.

Whether you're looking to transform the exterior of residential and commercial properties, garden buildings or even thinking of a new contemporary option for a garden fence; The HD Clad Pro™ system offers flexibility and style whilst also being environmentally friendly, made from 100% certified hardwood flour and recycled plastic.

Available in 4 shades.




Visit us for your Landscaping Products

REMBRANDTIMBER.CO.UK | THORNBRIDGETIMBER.CO.UK | ORCHARDTIMBERPRODUCTS.CO.UK

CLADDING





Visit us for your Landscaping Products

CLADDING



GREY TREATED CLADDING



ACCOYA



HARDIE PLANK



REDWOOD












Part of National Timber Group

32







Visit us for your Landscaping Products