

# GARDEN AND LANDSCAPING 2025

**FENCING**

**DECKING**

**SLEEPERS**

**CLADDING**




Working on a landscaping project this spring or summer? We've got all your materials covered!









## LANDSCAPING 2025

[laver.co.uk](http://laver.co.uk) • [svtimber.co.uk](http://svtimber.co.uk) • [hymortimber.co.uk](http://hymortimber.co.uk)





**WHATEVER YOUR  
PROJECT NEEDS,  
WE'VE GOT IT  
COVERED**

<b>DECKING</b> 	<b>FENCING</b> 	<b>CLADDING</b> 	<b>SLEEPERS</b> 
<b>GARDEN FURNITURE</b> 	<b>GATES</b> 	<b>BUILDINGS &amp; STRUCTURES</b> 	<b>ACCESSORIES</b> 

**LANDSCAPING**

Visit [laver.co.uk](http://laver.co.uk) [svtimber.co.uk](http://svtimber.co.uk) or [hymortimber.co.uk](http://hymortimber.co.uk)  
for your Landscaping Products



# fencing

## BUILD YOUR OWN CLOSEBOARD FENCING

Our treated feather-edge boards, available in a brown or green finish, are perfect for the construction of timber fencing within your garden.

Overlap the feather-edge boards (by 25mm) and fix to our treated rails and mount onto our treated posts. Ideal for garden boundaries.

Size: 16 x 125mm  
Various Lengths

Incised Fence Posts	
The following core range of Incised fence posts is available either green or brown pressure treated.	
WIDTH/DEPTH	LENGTHS
75mm x 75mm	1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m
75mm x 100mm	2.4m
100mm x 100mm	1.8m, 2.1m, 2.4m, 2.7m, 3.0m
(Other specifications are available on request.) The James Jones Incised product range complements our extensive choice of quality fencing products available.	
Rails, Slats, Ranch & Gravel Boards, Featheredge Boards	
The entire James Jones fencing range is available either green or brown pressure treated.	

### Cut & Treat

Every time pressure preservative treated timber is cut or notched during installation, the exposed surfaces must be further protected with an appropriate brush-on end grain preservative to maintain the integrity of the performance and the conditions of the warranty.

LEDGED & BRACED PINE GATES



LB27 1981x686mm, LB30 1981x762mm, LB32 2032x813mm, LB33 1981x838mm, LB36 1981x914mm

INCISED POSTS



Green or Brown available

CLOSEBOARD FENCE PANELS



Sizes:  
BROWN (shown) - H: 1.83m X 0.9m/1.5m/1.65m  
GREEN - H: 1.83m X 1.2m/1.5m/1.65m

FEATHER-EDGE BOARDS



ARRIS RAILS



TREATED FENCE POSTS



GRAVEL BOARDS



T&G LAVER FENCE



UNILog - AVAILABLE TO ORDER



NOTCHED FENCE POSTS





# fencing

WE CONTINUE TO OFFER  
A WIDE VARIETY OF FENCE  
POSTS IN BROWN AND  
GREEN, CHOOSE FROM;

- ♦ Planed
- ♦ Pointed
- ♦ Sawn
- ♦ Slotted
- ♦ Incised
- ♦ Treated

**FENCING POSTS ARE VERSATILE  
ENOUGH TO CREATE STUNNING  
ARCHITECTURAL STRUCTURES**

## DuraPost®

BY BIRKDALE

### DURAPOST STEEL FENCE POST SYSTEM



DuraPost is a great alternative to a timber or concrete fence posts. Built from galvanised steel, it's lighter while offering both durability and strength.

Provides a stylish, secure and strong framework designed to work with panels and boarding. DuraPost has been durability tested to EN 1794-1-2018 with wind speeds of up to 110mph (static load tested to 625kg).

Up to 25 Year Guarantee.

### BUILT TO LAST

DuraPosts are so easy to handle, with pre-drilled holes, they can be easily installed by one person



Designed by industry experts and trusted by homeowners and professionals.

DuraPost is available in 4 colours.

#### FINISHES

ANTHRACITE GREY

OLIVE GREY

SEPIA BROWN

GALVANISED STEEL

DuraPost can be used to create:

- Closed board fencing
- Panel Fencing
- Hit & Miss Fencing
- Composite Board Panels

DuraPost supports the installation of our Composite cladding boards (as fencing panels on pg. 26-29.)

Available at selected branches.





# FENCING

## POSTSAVER

The proven high-performance barrier sleeve to keep your fenceposts from rot and prolong their lives.

Fungi only lives in the top 6" of the soil, as deeper than this the temperature is too low for it to survive. Postsaver prevents the rot in this vital area and saves you time and costly post replacements.



### CREOCOTE




Restricts weather damage. Biocide free. Apply with a brush or spray

### POSTSAVER®

20 Year Guarantee

#### PRO-SLEEVE



Guarantees 20 Year Fence Post Protection Against Ground-Line Rot. Available in 8 sizes. Fit round or square & rectangular posts. Patented dual-layer rot prevention system. Proven over 20 years of independent testing

#### PRO-SET



One pack installs two posts (ready mixed). Weighs just 1.35kg vs 40kg concrete equivalent. Expands quickly and reaches full strength in just 90 minutes. Suitable for use with wood, vinyl, steel & composite posts.

#### PRO-TOOLS



Heavy Post Hole Digger. Heavy Duty Post Rammer. Industrial Blow Torch



## FENCING

# FENCING

## COMPLETE YOUR DECK

### Deck Handrail /Baserail



Dimensions: 38 x 75mm x 1.795m

### Decking Screws



Timco\* Green Decking Screw 4.5x60 (Box of 200) \*Brand may vary by branch.



### DECK SPINDLES 41 X 41 X 900MM

Tanalith E Treated  
Stop Chamfered, Square or Edwardian Style



### DECK SPINDLES 41 X 41 X 900MM

Tanalith E Treated Pine Turned Softwood



### DECK POSTS 83 X 83 X 1250MM

Tanalith E Treated Timber  
Deck Posts  
Chamfered & beaded or turned deck posts

### DECK SCREWS 63MM (BOX OF 250)



### DECKING JOISTS 47 X 150MM

Decking joists are an essential part of building any quality garden deck. Our decking joists are all made from quality timber and pressure treated.

Sawn Tanalised Timber Size: 47x100mm | 47x150mm  
Adjustable Joist Hanger Size: 47x250mm

### C16 CARCASSING 47 X 150MM

C16 Regularised 4 E/E Treated Carcassing - 47 x 150mm (finished Size 44 x 144mm)

## DECK SPINDLES • DECK POSTS • DECKING JOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS



## TIMBER TREATMENTS



Visit [laver.co.uk](http://laver.co.uk) [svtimber.co.uk](http://svtimber.co.uk) or [hymortimber.co.uk](http://hymortimber.co.uk) for your Landscaping Products

# ACCESSORIES

### TREATED TIMBER POSTS

Our treated timber posts are suitable for domestic, agricultural and industrial applications.

To achieve a long service life we treat all posts using a high pressure process with a choice of either green or brown finish.

### CONCRETE SLOTTED FENCE POSTS

Concrete is lightweight, reliable and easy to handle. It is specifically designed to last longer and stand against severe weather conditions.

2745 x 110 x 90mm  
2440 x 110 x 90mm



Concrete Gravel Boards also available at selected branches

### POSTMIX

Don't forget to pick up the essentials with ready-to-use PostMix, made from a blend of selected sand, cement and additives formulated for fixing wooden, concrete and metal posts. 20KG.



### TOOLS

We supply all the necessary tools and equipment for you to complete your job with all the top brands and highest quality equipment at affordable prices.



### FIXINGS

All the necessary fixings for sleeper, decking and cladding you could need to finish your clients job.





## TREATED REEDED REDWOOD DECKING

### Our Redwood Decking is Slow Grown, Imported, high quality Pine

Our own standard timber decking is sustainably sourced, imported, and machined in house, at our mill facility in Sheffield.

Combining strength, durability, and style, this redwood decking is the ideal choice for creating a sturdy outdoor space. Perfect for creating a safe, durable, and attractive decking area that will stand the test of time. Dimensions: 32x125mm (finished size: 28x120mm).

- ◆ Premium redwood decking board with a castle/reeded profile
- ◆ Treated to UC3 (above ground contact) for protection against weather, rot and pests
- ◆ Planed and finished size: 28x120mm for a smooth fit
- ◆ Certified for sustainable sourcing
- ◆ Ideal for exterior use above ground – perfect for garden decking and outdoor projects
- ◆ Initial green tint weathers and can be customised with decking oils

Available in mixed lengths Redwood decking is a durable and beautiful choice for all of your outdoor space. Offering an eco-friendly benefit due to its sustainability and it's natural resistance to rot due to the tannin levels within the wood. Using the appropriate stain, redwood can have it's colour customised to suit any garden.

**ANTI  
SLIP**

## GRIPSURE DECKING

### Gripsure Redwood Decking

Combining natural softwood timber decking with two hardened aggregate anti-slip infills, giving you a stylish-looking deck that is safe and reliable with proven performance for peace of mind.

Gripsure non-slip decking is a safe and stylish alternative to slippery decks created by rain, ice and algae. That means you can enjoy your garden, whatever the weather, all year round.

#### Product Specification:

Our anti-slip decking is made using Redwood low-maintenance deck-boards, which are machined and pressure treated and subsequently infilled with a unique aggregate blend resulting in professional and long-lasting finish

- ◆ Aggregate - a 1mm double washed and screened Guyanan Calcined Bauxite aggregate – grey coloured with a minimum PSV (polished stone value) of 70
- ◆ Independently tested to UK slip resistance guidelines - with results demonstrating an optimum result of 90 PTV (Pendulum Test Value). A score in the range of 36 and above demonstrates a low potential for slip
- ◆ Decking board profile - 38mm x 150mm

#### Typical applications areas:

Garden decking spaces  
Boardwalks and pathways  
Bridges  
Swimming pool surround  
Play areas  
Accessibility & steps



### PLUS ALL THE ACCESSORIES YOU NEED



DECK SPINDLES • DECK POSTS • DECKING JOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS



# millboard

Live. Life. Outside.

## RESIN MINERAL COMPOSITE DECKING

Millboard decking enhances outdoor spaces with enduring distinction. Hand-moulded from the finest oak, it realistically mimics natural timber but is engineered to offer much more.

A core composition of natural minerals bonded in a polymer resin with long fibre reinforcement. The board is coated with a resilient Lastane® layer that is chemically melded to the core with a UV stable 2K coating.

Millboard decking is anti-slip, virtually maintenance-free and has no wood content. These beautiful boards are highly resistant to scratches and staining and are available in a wide range of styles and colours. Millboard decking gives you all the peace of mind you will ever need. Millboard decking is hand crafted and moulded from carefully selected oak masters, replicating the beautiful qualities of the originals. The textured, resilient top surface is made from Lastane® providing a low maintenance surface which is resistant to mould growth.



Wood free



High slip-resistance



Low maintenance




'Lost-head' fixings

## WEATHERED OAK DECKING

Available in 200mm widths


Beautifully aged in appearance, our Weathered Oak collection is moulded from over a century old oak boards and is hand-coloured with authentic tones. Providing a timeless look. Weathered Oak retains its natural beauty and offers a surface requiring minimal maintenance and very high slip-resistance even in wet weather conditions.



Driftwood


Embered

Vintage



Weathered Oak Embered

## DECKING



Burnt Cedar

Antique Oak

Ebony Grey

Brushed Basalt

Jarrah

Coppered Oak

Golden Oak

Ashwood

Smoked Oak

Limed Oak

## ENHANCED GRAIN DECKING

Available in 176mm & 126mm widths\*

Moulded from timbers that are selected from oak boards for a textured look and feel, the Enhanced Grain's contemporary design accurately recreates the subtle nuances of natural wood. Each of the 10 shades offer high slip-resistance and showcase their organic patinas beautifully.

Beyond the aesthetic appeal, its ease of installation and low maintenance qualities are remarkable. Moreover, it provides robust durability and exceptional slip-resistance, even in the wet.

\*126mm width excludes Jarrah.

Visit [laver.co.uk](http://laver.co.uk) [svtimber.co.uk](http://svtimber.co.uk) or [hymortimber.co.uk](http://hymortimber.co.uk) for your Landscaping Products



## HARDWOOD DECKING

## EXPERIENCE THE VERSATILITY OF HARDWOOD

As a specialist hardwood merchant, we understand the unmatched versatility and beauty of hardwood. Its applications are vast, from creating exquisite furniture and veneers to crafting musical instruments, constructing buildings, and even boat-building. With a multitude of species available, each offering unique specifications and colours, hardwood is a material that truly caters to every individual need.

Leverage Our Decades of Expertise in Hardwood. Our extensive knowledge of hardwood, honed over decades of meeting our customers' exacting requirements, is your assurance of satisfaction. Whatever your hardwood needs, we are committed to working with you to ensure you receive the most suitable product at the most competitive price.

On average, hardwood decking lasts for between 15 and 30 years. With the right care and maintenance, your decking can last for decades whatever the weather throws at you.

Durable, long-lasting, with a beautiful finish, hardwoods always look great. Hardwood decking come in a beautiful range of tones and textures, which make for a natural aesthetic for your outdoor spaces.


## MADE TO ORDER

HARDWOOD DECKING  
HARDWOOD MACHINED  
TO ORDER INTO DECKING  
THAT'S RIGHT FOR YOU.

BALAU  
EMERI  
EUROPEAN OAK  
IROKO  
SAPELE

Lead time is 2-4 weeks,  
dependent on species

## DECKING HARDWOODS



Balau Emeri European Oak Iroko Sapele

## ACCOYA® DECKING

## ACCOYA® COLOR GREY

Accoya® Color Grey is a versatile timber product, perfectly suited for both decking and cladding applications. The high durability, dimensional stability, and core-coloring process make it ideal for long-term outdoor use. Whether for residential or commercial projects, Accoya® delivers outstanding performance in various conditions:

Decking: Accoya® Color Grey's superior strength and resistance to rot make it a great choice for high-traffic areas.


## Accoya decking gives you the beauty and benefits of real wood, without the drawbacks

- ◆ **Highly durable**  
Accoya decking withstands the test of time. Whatever the weather or climate.
- ◆ **Highly stable**  
Accoya decking has smaller gaps, a more even surface and stays smoother for longer than other woods
- ◆ **Low-Maintenance**  
Colored all the way through the wood, designed for a lifetime of minimal maintenance and maximum enjoyment
- ◆ **Barefoot friendly**  
Accoya decking remains cool in hot weather and is less prone to splinters
- ◆ **Non toxic**  
Accoya decking is safe for your family, your pets... and the planet.

Accoya is the world's leading high technology wood. It is produced from sustainably sourced, fast growing softwood using a non-toxic modification process from the surface to the core. The result is a durable, stable and beautiful material with the performance characteristics of the most durable tropical hardwoods but with industry-leading environmental credentials.

A new world of sustainable and low maintenance products including decking and cladding are available using Accoya. The exceptional durability provides for a minimum 50 year above ground and 25 year in-ground life.

Available as standard





# composite DECKING



## HD DECK® 150 COMPOSITE DECKING

*Deck Board Size: 25 x 150 x 3600mm*

Transform your garden with HD Deck 150, a contemporary grooved composite decking system available in walnut, lava and silver.

Made from 100% certified hardwood flour and recycled plastic, UV light absorbers and anti-oxidants, to produce a high quality composite decking product, which out performs traditional timber.




### FEATURES:

- Low maintenance
- Slip resistant
- Durable
- Sustainable
- Barefoot safe
- Attractive
- Will not rot or decay
- 10-year warranty



Walnut




Silver



Lava





**HD DECK®** **pro**  
A Composite Prime Product

Champagne

Oyster

## HD DECK® PRO PREMIUM EXTRA-WIDE COMPOSITE DECKING

Size: 22.5 x 200 x 3600mm

HD Deck® Pro is a premium extra-wide composite decking board, featuring a traditional wood grain that will add quality and style to any outdoor living space.

With its 'capped' design, creating a protective layer that offers maximum protection against stains and the elements for an extra long life.


The deck board offers the same features and benefits as the other HD Deck ranges, but is dual sided, with two designer colours to choose from: oyster and champagne.

## HD DECK® DUAL COMPOSITE DECKING

Deck Board Size: 22.5 x 143 x 3600mm

HD Deck Dual is a wood-grain composite decking system with a reversible two-colour option, providing the opportunity to lay a deck with contrasting colours to create a bespoke finish.

With an unrivalled likeness to timber, the natural wood grain not only looks and feels great, it also offers maximum performance against stains.




Natural Oak and Slate

Antique and Carbon


Oak and Walnut

## HD DECK® ACCESSORIES


HD DECK® DUAL FASCIA\*



HD DECK® 150 FASCIA\*




HD DECK® PRO FASCIA\*



STOP START & FIXING CLIPS



END CAPS



### ABZORBIT™ - SPRAY ON • BRUSH OFF • STAIN GONE

Abzorbit™ is a revolutionary new aerosol spray that treats and removes grease and oil stains, with a simple spray on and brush off process. Abzorbit™ can be used to treat stains on any timber or uncapped composite decking product. Ideal for use on HD Deck 150 and HD Deck® 150 Fire.



### PREMIUM JOIST & FLASHING TAPE 63mm x 20m

HD Protect™ is a self-adhesive tape designed to protect the top of timber from moisture that can lead to rot and loosening of screws. Applications: Joists, beams, rims, cut ends and posts

#### Specifications:

- 6 x rolls per box • 48 x boxes per pallet
- Average deck uses 6 rolls





# SAWN SLEEPERS

**Our sawn sleepers have endless garden or leisure applications.**

They can be used as boundaries, edgings and planters as well as distinctive raised beds and borders, decks, terraces and walkways.



**FRENCH OAK SLEEPERS**



**INCISED SLEEPERS**



Mini Sleepers also available (100x200x1200mm)

**BRUSHWOOD SLEEPERS**




**SMOOTH SLEEPERS**





# EVERYTHING YOU NEED TO MAKE BESPOKE GARDEN STRUCTURES - JUST ASK



GARDEN BUILDINGS & STRUCTURES

Visit [laver.co.uk](http://laver.co.uk) [svtimber.co.uk](http://svtimber.co.uk) or [hymortimber.co.uk](http://hymortimber.co.uk)  
for your Landscaping Products



## LOOKING TO REFRESH THE LOOK OF YOUR CUSTOMERS GARDEN BUILDINGS OR BUILDING THEM A GARDEN OFFICE?

The external cladding finish your client chooses will have a big impact on the appearance and durability of their garden building.

### OUR PRODUCTS

- Floor Joists
- Cladding
- Sheet Materials
- Flooring
- Plywood
- Tools & Accessories
- PSE
- OSB
- Treatments



## OAK STRUCTURES



## FRESH SAWN OAK

**FRESH SAWN OAK**  
200X200, 150X150,  
100X150, 75X150



## FENCING



Visit [laver.co.uk](http://laver.co.uk) [svtimber.co.uk](http://svtimber.co.uk) or [hymortimber.co.uk](http://hymortimber.co.uk)  
for your Landscaping Products

**GARDEN BUILDINGS, STRUCTURES & ACCESSORIES**





HARDIE® PLANK  
FIBRE CEMENT CLADDING

Hardie® Plank fibre cement cladding will stand the test of time, ensuring major advantages over alternative solutions such as uPVC or wood cladding. Fibre cement façades protect against fire, moisture, mould, and pests. Conversely, uPVC cladding is prone to colour fade and becomes brittle over time, whilst wood can present a fire risk and is also prone to moisture damage.



Colours

■ Hardie Plank ● Hardie VL Plank



HD CLAD PRO™ COMPOSITE CLADDING  
SIZE: 22.5MM X 136MM X 3600MM

HD Clad Pro™ provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours. The invisible clip fixings and trims allow for an uncomplicated installation which will transform the exterior of residential and commercial properties alike.

It can be installed vertically or horizontally ethical, long lasting and low maintenance alternative to timber.

HD Clad Pro™ is made completely from recycled plastics and FSC® 100% hardwood flour which combine to produce a high quality finished product that outperforms traditional treated timber.




HD Clad Pro™ provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours.

Whether you're looking to transform the exterior of residential and commercial properties, garden buildings or even thinking of a new contemporary option for a garden fence; The HD Clad Pro™ system offers flexibility and style whilst also being environmentally friendly, made from 100% certified hardwood flour and recycled plastic.

Key Benefits

- ♦ ANTI-FUNGAL
- ♦ LOW MAINTENANCE
- ♦ DURABLE
- ♦ MULTIPLE APPLICATIONS
- ♦ FSC® 100% TIMBER
- ♦ COMPLETE SYSTEM

Available in 4 shades.





Timber cladding

- A sustainable material that can last for decades
- Timber cladding can be made from many types of wood, including oak, larch, and Western Red Cedar
- Timber cladding can blend in with natural surroundings

Fiber cement cladding

- A composite material made from cement and cellulose fibers
- Fiber cement cladding is fire-safe, long-lasting, and low maintenance
- Fiber cement cladding is available in boards, panels, or shingles


Composite cladding

- A mixture of recycled plastics and timber offcuts make composite an environmentally sustainable option
- Durable and low-maintenance
- The makeup of composite cladding ensures that the finish will continue to look as good as it did the day it was installed for years to come
- Composite cladding will absorb less water than timber cladding, will not warp in the heat or wet weather, will not rot, or splinter, and is not susceptible to termites or other pests that may plague wooden products.



**NORclad**<sup>®</sup>  
Part of National Timber Group  
[timbercladdingsolutions.co.uk](http://timbercladdingsolutions.co.uk)

Standard Cladding Profiles



Cladding Options

- Accoya
- Brunnea Redwood
- Canadian Western Red Cedar
- European Larch
- Hardwood
- Redwood Vths
- Redwood Unsorted
- Thermally Modified
- Thermowood

Bespoke options for cladding are available upon request

ARGENTO CLADDING



MILLBOARD CLADDING



CEDAR CLADDING



ACCOYA



THERMOWOOD



HARDIE PLANK



COMPOSITE



REDWOOD







ENVELLO RESIN MINERAL COMPOSITE CLADDING

Crafted from a 100% wood-free, fibre-glass reinforced resin-mineral composite, Millboard's Envello cladding does not require sealing to prevent moisture ingress, delivering exceptional durability and a superior finish.

Easy installation, low maintenance and a range of colours to suit any outdoor space, Millboard's Envello cladding is available in either Board & Batten+ or Shadow Line+ profiles that offer a great option for elevating any property.

Fire rated system\*

Low maintenance

Integrated UV Stabilisers

Wood free

Easy to install

Impact & weather resistant

\*When fitted in accordance with our installation guides.



ENVELLO SHADOW LINE+ BURNT CEDAR



ENVELLO DÉCOR CURVE GOLD

ENVELLO BOARD & BATTEN+

Ideal for both contemporary & traditional designs

The Board & Batten composite cladding profile has been moulded from real oak masters with different widths and grain patterns, creating a unique balance for both contemporary and traditional designs.

With a tongue and groove profile that only requires fixings through the tongue, ensuring the fixing is hidden. Tested to the rigorous demands of BS EN 13501-1, the Board & Batten+ system achieves a classification of Euroclass D when fitted in accordance with our install guide.

Burnt Cedar

Anthracite

Antique Oak

Jarrah

Coppered Oak

Golden Oak

Limed Oak

Smoked Oak

ENVELLO DÉCOR

A Touch Of Luxury To Accentuate Shadow Line+ Cladding

These metallic accents are designed to perfectly complement our Shadow Line+ cladding range, adding a touch of luxury and sophistication to elevate any project.

**Available in 2 profiles** (Shutter or Curve) **2 widths** (16mm or 32mm) **and 3 colours** (Gold, Carbon or Bronze)

ENVELLO DÉCOR CURVE

Gold

Carbon

Bronze

Gold

Carbon

Bronze

ENVELLO DÉCOR SHUTTER

ENVELLO SHADOW LINE+

A flat grain finish for a clean authentic look

The Envello Shadow Line+ cladding board has been moulded from real oak masters and designed to perfectly replicate smooth timber with a flat grained finish, giving a clean authentic look. The increased width of the Shadow Line+ board compared to standard timber boards means there is larger grain detail. This gives an enhanced visual impact, without risk of the board twisting or warping over time.

Tested to the rigorous demands of BS EN 13501-1, the Shadow Line+ system achieves a classification of Euroclass D when fitted in accordance with our install guide.

Burnt Cedar

Anthracite

Antique Oak

Coppered Oak

Golden Oak

Limed Oak

Jarrah

Limed Oak

Smoked Oak




**FENCING**

**DECKING**

**SLEEPERS**

**CLADDING**



[laver.co.uk](http://laver.co.uk) • [svtimber.co.uk](http://svtimber.co.uk) • [hymortimber.co.uk](http://hymortimber.co.uk)



The mark of  
responsible forestry  
FSC® C010188

FSC® C010188 certified  
products are available  
on request.

