

GARDEN AND LANDSCAPING 2025

FENCING

DECKING

SLEEPERS


CLADDING





Working on a landscaping project this spring or summer? We've got all your materials covered!

LANDSCAPING 2025

laver.co.uk • svtimber.co.uk • hymortimber.co.uk



WHATEVER YOUR PROJECT NEEDS, WE'VE GOT IT COVERED



LANDSCAPING

Visit laver.co.uk svtimber.co.uk or hymortimber.co.uk for your Landscaping Products

fencing

BUILD YOUR OWN CLOSEBOARD FENCING

Our treated feather-edge boards, available in a brown or green finish, are perfect for the construction of timber fencing within your garden.

Overlap the feather-edge boards (by 25mm) and fix to our treated rails and mount onto our treated posts. Ideal for garden boundaries.

Size: 16 x 125mm
Various Lengths

Incised Fence Posts

The following core range of Incised fence posts is available either green or brown pressure treated.

WIDTH/DEPTH	LENGTHS
75mm x 75mm	1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m
75mm x 100mm	2.4m
100mm x 100mm	1.8m, 2.1m, 2.4m, 2.7m, 3.0m

(Other specifications are available on request.)

The James Jones Incised product range complements our extensive choice of quality fencing products available.

Rails, Slats, Ranch & Gravel Boards, Featheredge Boards

The entire James Jones fencing range is available either green or brown pressure treated.

Cut & Treat

Every time pressure preservative treated timber is cut or notched during installation, the exposed surfaces must be further protected with an appropriate brush-on end grain preservative to maintain the integrity of the performance and the conditions of the warranty.



LEDGED & BRACED PINE GATES



LB27 1981x686mm, LB30 1981x762mm, LB32 2032x813mm, LB33 1981x838mm, LB36 1981x914mm

INCISED POSTS



Green or Brown available

CLOSEBOARD FENCE PANELS



Sizes:
BROWN (shown) - H: 1.83m X 0.9m/1.5m/1.65m
GREEN - H: 1.83m X 1.2m/1.5m/1.65m

FEATHER-EDGE BOARDS



ARRIS RAILS



TREATED FENCE POSTS



GRAVEL BOARDS




T&G LAVER FENCE



UNILOG - AVAILABLE TO ORDER



NOTCHED FENCE POSTS



fencing

WE CONTINUE TO OFFER A WIDE VARIETY OF FENCE POSTS IN BROWN AND GREEN, CHOOSE FROM;

- ◆ Planed
- ◆ Pointed
- ◆ Sawn
- ◆ Slotted
- ◆ Incised
- ◆ Treated

FENCING POSTS ARE VERSATILE ENOUGH TO CREATE STUNNING ARCHITECTURAL STRUCTURES

DuraPost® BY BIRKDALE

DURAPOST STEEL FENCE POST SYSTEM



DuraPost is a great alternative to a timber or concrete fence posts. Built from galvanised steel, it's lighter while offering both durability and strength.

Provides a stylish, secure and strong framework designed to work with panels and boarding. DuraPost has been durability tested to EN 1794-1-2018 with wind speeds of up to 110mph (static load tested to 625kg).

Up to 25 Year Guarantee.

BUILT TO LAST

DuraPosts are so easy to handle, with pre-drilled holes, they can be easily installed by one person



Designed by industry experts and trusted by homeowners and professionals.

DuraPost is available in 4 colours.

FINISHES

ANTHRACITE GREY

OLIVE GREY

SEPIA BROWN

GALVANISED STEEL

DuraPost can be used to create:

- Closed board fencing
- Panel Fencing
- Hit & Miss Fencing
- Composite Board Panels

DuraPost supports the installation of our Composite cladding boards (as fencing panels on pg. 26-29.)


Available at selected branches.



POSTSAVER

The proven high-performance barrier sleeve to keep your fenceposts from rot and prolong their lives.

Fungi only lives in the top 6" of the soil, as deeper than this the temperature is too low for it to survive. PostSaver prevents the rot in this vital area and saves you time and costly post replacements.



CREOCOTE

Restricts weather damage. Biocide free. Apply with a brush or spray



Guarantees 20 Year Fence Post Protection Against Ground-Line Rot. Available in 8 sizes. Fit round or square & rectangular posts. Patented dual-layer rot prevention system. Proven over 20 years of independent testing

POSTSAVER 20 Year Guarantee

PRO-SLEEVE



PRO-SET



One pack installs two posts (ready mixed). Weighs just 1.35kg vs 40kg concrete equivalent. Expands quickly and reaches full strength in just 90 minutes. Suitable for use with wood, vinyl, steel & composite posts.

PRO-TOOLS



Heavy Post Hole Digger. Heavy Duty Post Rammer. Industrial Blow Torch



COMPLETE YOUR DECK

Deck Handrail /Baserail



Dimensions: 38 x 75mm x 1.795m

Decking Screws



Timco* Green Decking Screw 4.5x60 (Box of 200) *Brand may vary by branch.



DECK SPINDLES 41 X 41 X 900MM
Tanalith E Treated
Stop Chamfered, Square or Edwardian Style

DECK SPINDLES 41 X 41 X 900MM
Tanalith E Treated Pine Turned Softwood



DECK POSTS 83 X 83 X 1250MM
Tanalith E Treated Timber
Deck Posts
Chamfered & beaded or turned deck posts

DECK SCREWS 63MM (BOX OF 250)



DECKING JOISTS 47 X 150MM
Decking joists are an essential part of building any quality garden deck. Our decking joists are all made from quality timber and pressure treated.

Sawn Tanalised Timber Size: 47x100mm | 47x150mm
Adjustable Joist Hanger Size: 47x250mm



C16 CARCASSING 47 X 150MM
C16 Regularised 4 E/E Treated Carcassing - 47 x 150mm (finished Size 44 x 144mm)

DECK SPINDLES • DECK POSTS • DECKING JOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS

osmo TIMBER TREATMENTS



Visit laver.co.uk svtimber.co.uk or hymortimber.co.uk for your Landscaping Products

TREATED TIMBER POSTS

Our treated timber posts are suitable for domestic, agricultural and industrial applications.

To achieve a long service life we treat all posts using a high pressure process with a choice of either green or brown finish.

CONCRETE SLOTTED FENCE POSTS

Concrete is lightweight, reliable and easy to handle. It is specifically designed to last longer and stand against severe weather conditions.

2745 x 110 x 90mm
2440 x 110 x 90mm



Concrete Gravel Boards also available at selected branches

POSTMIX

Don't forget to pick up the essentials with ready-to-use PostMix, made from a blend of selected sand, cement and additives formulated for fixing wooden, concrete and metal posts. 20KG.



TOOLS

We supply all the necessary tools and equipment for you to complete your job with all the top brands and highest quality equipment at affordable prices.



FIXINGS

All the necessary fixings for sleeper, decking and cladding you could need to finish your clients job.



TREATED REEDED REDWOOD DECKING

Our Redwood Decking is Slow Grown, Imported, high quality Pine

Our own standard timber decking is sustainably sourced, imported, and machined in house, at our mill facility in Sheffield.

Combining strength, durability, and style, this redwood decking is the ideal choice for creating a sturdy outdoor space. Perfect for creating a safe, durable, and attractive decking area that will stand the test of time. Dimensions: 32x125mm (finished size: 28x120mm).

- ◆ Premium redwood decking board with a castle/reeded profile
- ◆ Treated to UC3 (above ground contact) for protection against weather, rot and pests
- ◆ Planed and finished size: 28x120mm for a smooth fit
- ◆ Certified for sustainable sourcing
- ◆ Ideal for exterior use above ground – perfect for garden decking and outdoor projects
- ◆ Initial green tint weathers and can be customised with decking oils

Available in mixed lengths Redwood decking is a durable and beautiful choice for all of your outdoor space. Offering an eco-friendly benefit due to its sustainability and it's natural resistance to rot due to the tannin levels within the wood. Using the appropriate stain, redwood can have it's colour customised to suit any garden.

ANTI SLIP

GRIPSURE DECKING

Gripsure Redwood Decking

Combining natural softwood timber decking with two hardened aggregate anti-slip infills, giving you a stylish-looking deck that is safe and reliable with proven performance for peace of mind.

Gripsure non-slip decking is a safe and stylish alternative to slippery decks created by rain, ice and algae. That means you can enjoy your garden, whatever the weather, all year round.

Product Specification:

Our anti-slip decking is made using Redwood low-maintenance deck-boards, which are machined and pressure treated and subsequently infilled with a unique aggregate blend resulting in professional and long-lasting finish

- ◆ Aggregate - a 1mm double washed and screened Guyanan Calcined Bauxite aggregate – grey coloured with a minimum PSV (polished stone value) of 70
- ◆ Independently tested to UK slip resistance guidelines - with results demonstrating an optimum result of 90 PTV (Pendulum Test Value). A score in the range of 36 and above demonstrates a low potential for slip
- ◆ Decking board profile - 38mm x 150mm

Typical applications areas:

- Garden decking spaces
- Boardwalks and pathways
- Bridges
- Swimming pool surround
- Play areas
- Accessibility & steps



PLUS ALL THE ACCESSORIES YOU NEED



DECK SPINDLES • DECK POSTS • DECKING JOISTS • HAND RAILS • DECK SCREWS • TAPES • NEWEL POSTS

millboard

Live. Life. Outside.

RESIN MINERAL COMPOSITE DECKING

Millboard decking enhances outdoor spaces with enduring distinction. Hand-moulded from the finest oak, it realistically mimics natural timber but is engineered to offer much more.

A core composition of natural minerals bonded in a polymer resin with long fibre reinforcement. The board is coated with a resilient Lastane® layer that is chemically melded to the core with a UV stable 2K coating.

Millboard decking is anti-slip, virtually maintenance-free and has no wood content. These beautiful boards are highly resistant to scratches and staining and are available in a wide range of styles and colours. Millboard decking gives you all the peace of mind you will ever need. Millboard decking is hand crafted and moulded from carefully selected oak masters, replicating the beautiful qualities of the originals. The textured, resilient top surface is made from Lastane® providing a low maintenance surface which is resistant to mould growth



Wood free



High slip-resistance



Low maintenance




'Lost-head' fixings



WEATHERED OAK DECKING

Available in 200mm widths

Beautifully aged in appearance, our Weathered Oak collection is moulded from over a century old oak boards and is hand-coloured with authentic tones. Providing a timeless look. Weathered Oak retains its natural beauty and offers a surface requiring minimal maintenance and very high slip-resistance even in wet weather conditions



Driftwood Embered Vintage




Weathered Oak Embered

DECKING

ENHANCED GRAIN DECKING

Available in 176mm & 126mm widths*



Smoked Oak Limed Oak

Moulded from timbers that are selected from oak boards for a textured look and feel, the Enhanced Grain's contemporary design accurately recreates the subtle nuances of natural wood. Each of the 10 shades offer high slip-resistance and showcase their organic patinas beautifully.

Beyond the aesthetic appeal, its ease of installation and lowmaintenance qualities are remarkable. Moreover, it provides robust durability and exceptional slip-resistance, even in the wet

*126mm width excludes Jarrah.

Visit laver.co.uk svtimber.co.uk or hymortimber.co.uk for your Landscaping Products

HARDWOOD DECKING

EXPERIENCE THE VERSATILITY OF HARDWOOD

As a specialist hardwood merchant, we understand the unmatched versatility and beauty of hardwood. Its applications are vast, from creating exquisite furniture and veneers to crafting musical instruments, constructing buildings, and even boat-building. With a multitude of species available, each offering unique specifications and colours, hardwood is a material that truly caters to every individual need.

Leverage Our Decades of Expertise in Hardwood. Our extensive knowledge of hardwood, honed over decades of meeting our customers' exacting requirements, is your assurance of satisfaction. Whatever your hardwood needs, we are committed to working with you to ensure you receive the most suitable product at the most competitive price.

On average, hardwood decking lasts for between 15 and 30 years. With the right care and maintenance, your decking can last for decades whatever the weather throws at you.

Durable, long-lasting, with a beautiful finish, hardwoods always look great. Hardwood decking come in a beautiful range of tones and textures, which make for a natural aesthetic for your outdoor spaces.

MADE TO ORDER

HARDWOOD DECKING
HARDWOOD MACHINED
TO ORDER INTO DECKING
THAT'S RIGHT FOR YOU.

- BALAU
- EMERI
- EUROPEAN OAK
- IROKO
- SAPELE

Lead time is 2-4 weeks,
dependent on species

DECKING HARDWOODS



ACCOYA® DECKING

ACCOYA® COLOR GREY

Accoya® Color Grey is a versatile timber product, perfectly suited for both decking and cladding applications. The high durability, dimensional stability, and core-coloring process make it ideal for long-term outdoor use. Whether for residential or commercial projects, Accoya® delivers outstanding performance in various conditions:


Decking: Accoya® Color Grey's superior strength and resistance to rot make it a great choice for high-traffic areas.

Accoya decking gives you the beauty and benefits of real wood, without the drawbacks

- ◆ **Highly durable**
Accoya decking withstands the test of time. Whatever the weather or climate.
- ◆ **Highly stable**
Accoya decking has smaller gaps, a more even surface and stays smoother for longer than other woods
- ◆ **Low-Maintenance**
Colored all the way through the wood, designed for a lifetime of minimal maintenance and maximum enjoyment
- ◆ **Barefoot friendly**
Accoya decking remains cool in hot weather and is less prone to splinters
- ◆ **Non toxic**
Accoya decking is safe for your family, your pets... and the planet.

Accoya is the world's leading high technology wood. It is produced from sustainably sourced, fast growing softwood using a non-toxic modification process from the surface to the core. The result is a durable, stable and beautiful material with the performance characteristics of the most durable tropical hardwoods but with industry-leading environmental credentials.

A new world of sustainable and low maintenance products including decking and cladding are available using Accoya. The exceptional durability provides for a minimum 50 year above ground and 25 year in-ground life.



composite DECKING



HD DECK® 150 COMPOSITE DECKING

Deck Board Size: 25 x 150 x 3600mm

Transform your garden with HD Deck 150, a contemporary grooved composite decking system available in walnut, lava and silver.

Made from 100% certified hardwood flour and recycled plastic, UV light absorbers and anti-oxidants, to produce a high quality composite decking product, which out performs traditional timber.



FEATURES:

- Low maintenance
- Slip resistant
- Durable
- Sustainable
- Barefoot safe
- Attractive
- Will not rot or decay
- 10-year warranty




Walnut



Silver



Lava



HD DECK® pro
A Composite Prime Product



**HD DECK® PRO
PREMIUM EXTRA-WIDE
COMPOSITE DECKING**

Size: 22.5 x 200 x 3600mm

HD Deck® Pro is a premium extra-wide composite decking board, featuring a traditional wood grain that will add quality and style to any outdoor living space.

With its 'capped' design, creating a protective layer that offers maximum protection against stains and the elements for an extra long life.

The deck board offers the same features and benefits as the other HD Deck ranges, but is dual sided, with two designer colours to choose from: oyster and champagne.

HD DECK® DUAL COMPOSITE DECKING

Deck Board Size: 22.5 x 143 x 3600mm

HD Deck Dual is a wood-grain composite decking system with a reversible two-colour option, providing the opportunity to lay a deck with contrasting colours to create a bespoke finish.

With an unrivalled likeness to timber, the natural wood grain not only looks and feels great, it also offers maximum performance against stains.




HD DECK® ACCESSORIES


HD DECK® DUAL FASCIA*



HD DECK® 150 FASCIA*



HD DECK® PRO FASCIA*



STOP START & FIXING CLIPS



END CAPS



ABZORBIT™ - SPRAY ON • BRUSH OFF • STAIN GONE

Abzorbit™ is a revolutionary new aerosol spray that treats and removes grease and oil stains, with a simple spray on and brush off process. Abzorbit™ can be used to treat stains on any timber or uncapped composite decking product. Ideal for use on HD Deck 150 and HD Deck® 150 Fire.



PREMIUM JOIST & FLASHING TAPE 63mm x 20m

HD Protect™ is a self-adhesive tape designed to protect the top of timber from moisture that can lead to rot and loosening of screws. Applications: Joists, beams, rims, cut ends and posts

Specifications:

- 6 x rolls per box • 48 x boxes per pallet
- Average deck uses 6 rolls



SAWN SLEEPERS

Our sawn sleepers have endless garden or leisure applications.

They can be used as boundaries, edgings and planters as well as distinctive raised beds and borders, decks, terraces and walkways.



FRENCH OAK SLEEPERS




INCISED SLEEPERS



Mini Sleepers also available (100x200x1200mm)


BRUSHWOOD SLEEPERS



SMOOTH SLEEPERS



EVERYTHING YOU NEED TO MAKE BESPOKE GARDEN STRUCTURES - JUST ASK



GARDEN BUILDINGS & STRUCTURES

Visit laver.co.uk svtimber.co.uk or hymortimber.co.uk
for your Landscaping Products

LOOKING TO REFRESH THE LOOK OF YOUR CUSTOMERS GARDEN BUILDINGS OR BUILDING THEM A GARDEN OFFICE?

The external cladding finish your client chooses will have a big impact on the appearance and durability of their garden building.

OUR PRODUCTS

- Floor Joists
- Cladding
- Sheet Materials
- Flooring
- Plywood
- Tools & Accessories
- PSE
- OSB
- Treatments



OAK GARDEN STRUCTURE KITS



FRESH SAWN OAK

FRESH SAWN OAK
200X200, 150X150,
100X150, 75X150



GARDEN SHEDS



Visit laver.co.uk svtimber.co.uk or hymortimber.co.uk
for your Landscaping Products

GARDEN BUILDINGS, STRUCTURES & ACCESSORIES



HARDIE® PLANK FIBRE CEMENT CLADDING

Hardie® Plank fibre cement cladding will stand the test of time, ensuring major advantages over alternative solutions such as uPVC or wood cladding. Fibre cement façades protect against fire, moisture, mould, and pests. Conversely, uPVC cladding is prone to colour fade and becomes brittle over time, whilst wood can present a fire risk and is also prone to moisture damage.



Colours

■ Hardie Plank ● Hardie VL Plank



HD CLAD PRO™ COMPOSITE CLADDING

SIZE: 22.5MM X 136MM X 3600MM

HD Clad Pro™ provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours. The invisible clip fixings and trims allow for an uncomplicated installation which will transform the exterior of residential and commercial properties alike.

It can be installed vertically or horizontally ethical, long lasting and low maintenance alternative to timber.

HD Clad Pro™ is made completely from recycled plastics and FSC® 100% hardwood flour which combine to produce a high quality finished product that outperforms traditional treated timber.



HD Clad Pro™ provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours.

Whether you're looking to transform the exterior of residential and commercial properties, garden buildings or even thinking of a new contemporary option for a garden fence; The HD Clad Pro™ system offers flexibility and style whilst also being environmentally friendly, made from 100% certified hardwood flour and recycled plastic.

Key Benefits

- ♦ ANTI-FUNGAL
- ♦ LOW MAINTENANCE
- ♦ DURABLE
- ♦ MULTIPLE APPLICATIONS
- ♦ FSC® 100% TIMBER
- ♦ COMPLETE SYSTEM

Available in 4 shades.



Timber cladding

- ♦ A sustainable material that can last for decades
- ♦ Timber cladding can be made from many types of wood, including oak, larch, and Western Red Cedar
- ♦ Timber cladding can blend in with natural surroundings

Fiber cement cladding

- ♦ A composite material made from cement and cellulose fibers
- ♦ Fiber cement cladding is fire-safe, long-lasting, and low maintenance
- ♦ Fiber cement cladding is available in boards, panels, or shingles

Composite cladding


- ♦ A mixture of recycled plastics and timber offcuts make composite an environmentally sustainable option
- ♦ Durable and low-maintenance
- ♦ The makeup of composite cladding ensures that the finish will continue to look as good as it did the day it was installed for years to come
- ♦ Composite cladding will absorb less water than timber cladding, will not warp in the heat or wet weather, will not rot, or splinter, and is not susceptible to termites or other pests that may plague wooden products.



NORclad[®]
Part of National Timber Group

timbercladdingsolutions.co.uk

Standard Cladding Profiles



Cladding Options

- Accoya
- Brunnea Redwood
- Canadian Western Red Cedar
- European Larch
- Hardwood
- Redwood Vths
- Redwood Unsorted
- Thermally Modified
- Thermowood

Bespoke options for cladding are available upon request

ARGENTO CLADDING



MILLBOARD CLADDING



CEDAR CLADDING



ACCOYA




THERMOWOOD



HARDIE PLANK




COMPOSITE



REDWOOD





millboard
Live. Life. Outside.

ENVELLO RESIN MINERAL COMPOSITE CLADDING

Crafted from a 100% wood-free, fibre-glass reinforced resin-mineral composite, Millboard's Envello cladding does not require sealing to prevent moisture ingress, delivering exceptional durability and a superior finish.

Easy installation, low maintenance and a range of colours to suit any outdoor space, Millboard's Envello cladding is available in either Board & Batten+ or Shadow Line+ profiles that offer a great option for elevating any property.



Fire rated system*



Low maintenance



Integrated UV Stabilisers



Wood free



Easy to install



Impact & weather resistant

*When fitted in accordance with our installation guides.

Envello Board & Batten+ Limed Oak

ENVELLO BOARD & BATTEN+

Ideal for both contemporary & traditional designs

The Board & Batten composite cladding profile has been moulded from real oak masters with different widths and grain patterns, creating a unique balance for both contemporary and traditional designs.

With a tongue and groove profile that only requires fixings through the tongue, ensuring the fixing is hidden. Tested to the rigorous demands of BS EN 13501-1, the Board & Batten+ system achieves a classification of Euroclass D when fitted in accordance with our install guide.



ENVELLO DÉCOR


A Touch Of Luxury To Accentuate Shadow Line+ Cladding

These metallic accents are designed to perfectly complement our Shadow Line+ cladding range, adding a touch of luxury and sophistication to elevate any project.


Available in 2 profiles (Shutter or Curve) 2 widths (16mm or 32mm) and 3 colours (Gold, Carbon or Bronze)

ENVELLO DÉCOR CURVE

ENVELLO DÉCOR SHUTTER



ENVELLO SHADOW LINE+ BURNT CEDAR



ENVELLO DÉCOR CURVE GOLD



ENVELLO SHADOW LINE+

A flat grain finish for a clean authentic look

The Envello Shadow Line+ cladding board has been moulded from real oak masters and designed to perfectly replicate smooth timber with a flat grained finish, giving a clean authentic look. The increased width of the Shadow Line+ board compared to standard timber boards means there is larger grain detail. This gives an enhanced visual impact, without risk of the board twisting or warping over time.


Tested to the rigorous demands of BS EN 13501-1, the Shadow Line+ system achieves a classification of Euroclass D when fitted in accordance with our install guide.

FENCING

DECKING

SLEEPERS

CLADDING



laver.co.uk • svtimber.co.uk • hymortimber.co.uk



The mark of
responsible forestry
FSC® C010188

FSC® C010188 certified
products are available
on request.



By assuring PEFC,
National Timber
Group England Ltd is
ensuring sustainably
managed forests
globally
www.pefc.co.uk